Milford, New Hampshire

BUILDING SPECIFICATION

Clearing & Grading

Clear land for walks and driveway, construction and adjacent areas indicated or required to be graded. Restrict clearing and grading as per the approved site plan.

Builder reserves the right to determine the proper placement of house, to alter existing topography, to establish final grades.

Foundation (Poured concrete 3000 P.S.I.)

House

Walls 8" x 7' -10"

Garage

Walls 8" x 4' -0" minimum

Footings

House and garage 2' x 10"

Concrete Floors (Poured concrete 3000 P.S.I)

House and garage 4" thick

Exterior Waterproofing Foundation

Fill all form ties below grade with roofing cement and walls below grade to be coated with foundation sealer.

CARPENTRY

Rough Framing

Lumber as per plan

Roof Shingles

IKO 35 year Architectural Shingles. Color Weathered Wood

Exterior Siding

Certainteed Mainstreet Vinyl siding or comparable Accents on Gable End with Certainteed Cedar Impressions or comparable

Milford, New Hampshire

Windows

Paradigm Brand or comparable Thermal pane glass vinyl clad windows as per plan.

Garage Doors

Flat panel door 7'x 9' with garage door opener.

Insulation

All fiberglass insulation and vapor barrier to include proper vents where necessary.

Basement ceiling 3 1/2" R-30 All exterior walls 5 1/2" R-19 Attic 9" R-49 Blown in

Sheetrock

House - all walls and ceilings to be drywall. Ceilings will be a textured finish or sand finish swirl. Closets will receive a swirled or textured finish. **Garage will be sheet rocked.**

Interior Doors

Interior doors to be six panel molded doors.

Interior Trim

All casings to be 2 ½" colonial casing.

Baseboard (1 piece 5 ¼" speed base)

FIREPLACE: **(OPTIONAL)** - Custom propane fireplace with wood mantel and black granite surround.

Painting

Interior, Walls 1 coat primer, 2 coat finish flat latex paint (Sherwin-Williams Single Color thru-out) Interior, Trim 1 coat primer, 2 coats finish semi-gloss (Sherwin-Williams)

Cabinets and Vanities/Countertops

Builder will provide (4) kitchen cabinet door styles with maple, oak, and white foiled finish. Bathrooms will be white foiled cabinets. All countertops will be GRANITE. Select from colors provided by Builder.

Milford, New Hampshire

Closets

All closet shelving will be closet maid shelving or equal

Finish Floors

All Baths: 12" x 12" ceramic tile from Builder Selections.

Detached Cottages and Duplex Cottages:

Kitchen, Dining Area and Living Room shall be 3/4" Red Oak Hardwood

Garden Cottages:

Kitchen, Dining Area and Living Room shall be high quality simulated hardwood vinyl from Builders Selections

All other areas will receive carpet.

(\$18.00/sq. yrd. allowance)

Stairway from 1st floor to the basement will be plywood treads and risers.

Deck / Patio (OPTIONAL)

Pricing determined by selection, size and design.

PLUMBING 1 3/4 BATHS

Municipal Sewer

Town of Milford Water and Sewer Department

Water

Town of Milford Water and Sewer Department

Hot water heater

Garden Cottages:

40 gallon Electric

Detached Cottages and Duplex Cottages:

On-Demand Natural Gas Hot Water Heater

Silcocks

(1) Frost free at front of house.

Milford, New Hampshire

Plumbing fixtures (All fixtures to be white)

Water closets: White Elongated 1.5 gal toilet or equivalent.

Sinks: White China oval (drop in)

Tubs and showers: White one piece fiberglass units or

equivalent.

Faucets: Chrome Moen or equivalent. Shower door: (OPTIONAL) - See Below

APPLIANCES

Whirlpool dishwasher, microwave, range.

ELECTRICAL

Electrical outlets per New Hampshire state code.

Lighting – Builder's package including (4) recessed cans.

All bathrooms will receive exhaust fans.

Smoke detectors will be hard wired and placed in all bedrooms and one on each floor.

Cable TV / Telephone in Kitchen, living room, and both bedrooms.

Switches and outlets to be (white)

HVAC

The house will receive one zone of forced hot air heat by propane gas with air conditioning. Sizing for HVAC equipment will be determined by HVAC Contractor based on "Manual-J" Standards

Seller shall retain the right to substitute equivalent or better products, materials, and different manufacturers or supplies from those indicated above.